Clark University – JNR risk mapping meeting – September 16th 2022

Computing the annual deforestation rate



Ghislain VIEILLEDENT¹ Pierrick RAMBAUD² Rémi d'ANNUNZIO² [1] Cirad UMR AMAP, [2] FAO REDD+ NFM







- Context
- Objectives



- Formulas
- Notations
- Formulas

- I Formula comparison
 - FAO formula
 - Cirad formula
 - Clark U. formula
 - Puyravaud formula
- 4 Conclusion
 - Recommendation
 - Demonstration of the formula





- Context
- Objectives

- Notations
- Formulas

- 3 Formula comparison
 - FAO formula
 - Cirad formula
 - Clark U. formula
 - Puyravaud formula
- 4 Conclusion
 - Recommendation
 - Demonstration of the formula





Formula comparison

Conclusion 0000

Observations of deforestation

- Historical deforestation maps are often derived from the analysis of satellite images (eg. Landsat).
- Defore station is a rare event ($<1\%/{\rm yr})$ and is very variable from one year to another.
- Deforestation is often observed and estimated for a period of time *T* of several years (eg. 5 or 10 years).



Figure – Deforestation 2000–2010–2020 in Guadeloupe.

Formula comparison

Annual deforestation rate

- To be able to compare deforestation intensity between regions (eg. countries) and time periods of different lengths (eg. 5 or 10 years), we need to compute a mean annual deforestation rate *d* in %/yr (also denoted %.yr⁻¹).
- Several formulas have been proposed to compute *d* from the observed deforestation rate *d'* on a given period of time *T*.
- $d' = (A_0 A_T)/A_0$, with A_0 : initial forest cover at time t = 0, and A_T : forest cover at time t = T with T > 1.



Objectives

Formulas 000

- Compare the different formulas used to compute the mean annual deforestation rate *d* in %/yr.
- Propose an appropriate formula for the JNR risk mapping tool.

Introducti

Plan

- Context
- Objectives

2

- Formulas • Notations
- Formulas

- 3 Formula comparison
 - FAO formula
 - Cirad formula
 - Clark U. formula
 - Puyravaud formula
- 4 Conclusion
 - Recommendation
 - Demonstration of the formula



Areas and time

Notations

- A_t : forest area (in ha or km²) at time t with t = 0, ..., T.
- $A_0 > A_1 > A_2 > \ldots > A_T$.
- T : time-interval (in yr), T > 1.

Deforestation rates

- d': observed deforestation rate for period of time *T*. $d' = (A_0 - A_T)/A_0$, in %.
- d: mean annual deforestation rate over the period of time T. e.g. $d = (A_0 - A_1)/A_0$, in %/yr.
- *d* must be constant over the period of time *T*. $d = (A_0 - A_1)/A_0 = (A_1 - A_2)/A_1 = \dots$

How to compute d from A_0 , A_T and T (or from d' and T as $d' = (A_0 - A_T)/A_0$?

Proposed formulas

- FAO formula $r = (A_T/A_0)^{(1/T)} - 1$
- Clark U. formula (inverted ratio) $\delta = (A_0/A_T)^{(1/T)} - 1$
- Puyravaud formula $\rho = (1/T) \ln(A_T/A_0)$
- Cirad formula (after correction) $d = 1 - (1 - d')^{1/T}$

Introduction

- Context
- Objectives

2 Formu

- Notations
- Formulas

- I Formula comparison
 - FAO formula
 - Cirad formula
 - Clark U. formula
 - Puyravaud formula
 - 4 Conclusion
 - Recommendation
 - Demonstration of the formula





 $r = (A_T/A_0)^{(1/T)} - 1$

- Following FAO definition, *r* is a mean annual rate of change, not a mean annual rate of deforestation.
- This rate is zero if $A_T = A_0$ (no change), positive if $A_T > A_0$ (increase in forest cover), and negative if $A_T <= A_0$ (deforestation). This equation is perfectly OK when correctly interpreted.
- In the Verra document about JNR mapping risk methodology, there is a misinterpretation of *r* described as the deforestation or forest degradation rate (see p. 8 of the document).
- To obtain a deforestation rate (which is assumed positive), we need the opposite :

 $d = 1 - (A_T/A_0)^{1/T}$

Cirad formula

- This formula is just the opposite of the FAO rate cited by Verra : d = 1 r, with $r = (A_T/A_0)^{(1/T)} 1$.
- Can be easily demonstrated mathematically.
- Note that $d = 1 (1 d')^{1/T} \Leftrightarrow d' = 1 (1 d)^T$
- This explains the error in the riskmapjnr Python package (there was a confusion between *d* and *d'*, now corrected).

Formula comparison

Conclusion 0000

Clark U. formula

 $\delta = (A_0/A_T)^{(1/T)} - 1$



- Inverse ratio A_0/A_T in place of A_T/A_0 .
- Seems to provide reasonable estimates.

Conclusion 0000

Problems with Clark U. formula

$\delta = (A_0/A_T)^{(1/T)} - 1$

- Not defined when $A_T = 0$
- $A_T = 0$ is frequent (small window size or T is large).
- Difficult to interpret.
- Overestimation of the mean annual deforestation rate.



Formula comparison

Conclusion 0000

Problems with Clark U. formula

 $\delta = (A_0/A_T)^{(1/T)} - 1$

• Overestimation of the mean annual deforestation rate.



Formula: 000 Formula comparison

Conclusion 0000

Puyravaud formula

$\rho = (1/T) \ln(A_T/A_0)$

- Derived from the instantaneous rate of change.
- Not defined when $A_T = 0$.
- Again, $A_T = 0$ is frequent (small window size or T is large).
- Overestimation of the mean annual deforestation rate.







- Context
- Objectives



- Notations
- Formulas

- 3 Formula comparison
 - FAO formula
 - Cirad formula
 - Clark U. formula
 - Puyravaud formula
- 4 Conclusion
 - Recommendation
 - Demonstration of the formula





Formula comparison 0000000



Recommendation

We recommend the use of the following formula to estimate the mean annual deforestation rate :

 $d = 1 - (1 - d')^{1/T}$ equivalent to $d = 1 - (A_T/A_0)^{1/T}$

Conclusion

Demonstration

We demonstrate that $d = 1 - (1 - d')^{1/T}$:

We have :
$$A_0 > A_1 > A_2 > ... > A_T$$

Then, $A_1 = A_0 - d \times A_0 = A_0(1 - d)$
 $A_2 = A_1 - d \times A_1 = A_1(1 - d) = A_0(1 - d)(1 - d) = A_0(1 - d)^2$
...
 $A_T = A_0(1 - d)^T \Leftrightarrow A_T/A_0 = (1 - d)^T$ (1)
By definition, d'= $(A_0 - A_T)/A_0$ (2)

(1) and (2)
$$\Rightarrow d' = 1 - (1 - d)^{T}$$
 (3)
 $(1 - d)^{T} = 1 - d'$
 $1 - d = (1 - d')^{1/T}$
 $d = 1 - (1 - d')^{1/T}$ (4)

... Thank you for attention https://ecology.ghislainv.fr/presentations ₩₩₩₩ ✔ cirad ♥ ₩₩₽₩ (♥ UK PACT